SAFETY PADLOCK

M-SAFE SAFETY PADLOCK

Suitable for use in closed space, such as chemical, military, oil extraction and power industry.

Shackle Type :



Long Stainless Steel Shackle | *Stainless Steel Shackle* | *Nylon Shackle*



PA lock body of chemical extreme, temperature and UV rays.


With rewritable safety warning signs on front and back.

6 pins cylinder for high number differs.

Key retaining feature (when the shackle is open, key can't be removed).

KEY SYSTEM OPTIONS

The body is nonconductive & the unique copper key.



Individual Key
Each padlock has its individual key and the key for one lock. can not open another lock in any case.

Master Key
A Master key will override and open multiple padlocks that are keyed differently.

Key Alike
All padlocks in a set can be opened with the same key.

SAFETY PADLOCK



Stainless Steel Shackle.

Durable non-conductive PA lock body.


Working temperature range -20°C to 150°C. UV resistant.

Customizable label. (Min 200 Pcs)

Anti corrosion cylinder

Key retaining feature

M-SPL FRONT



Customizable label. (Min 200 Pcs)

Key numbering will be laser etch at the back.

M-SPL BACK

M-SAFE SAFETY PADLOCK STAINLESS STEEL SHACKLE

The body is non-conductive & the unique copper key cylinder prevents electricity from travelling from shackle to the key, protecting workers when key is inserted. Durable non-conductive PA lock body, withstand temperature from -20°C to 150°C, resistance of UV rays. Key retaining feature (when the shackle is open, key can't be removed).



M-SAFE SAFETY PADLOCK STAINLESS STEEL 1 1/2" (38MM) MODEL : M-SPL

AVAILABLE COLOURS:

- *BLUE*
- *GREEN*
- *ORANGE*
- *PURPLE*
- *RED*
- *YELLOW*
- *BLACK*
- *WHITE*
- *BROWN*

PACKING INFORMATION:

- *10 PCS / BOX - 100 PCS / CARTON*



M-SAFE SAFETY PADLOCK STAINLESS STEEL 3" (76MM) MODEL : M-LSPL

AVAILABLE COLOURS:

- *BLUE*
- *GREEN*
- *YELLOW*
- *RED*

PACKING INFORMATION:

- *10 PCS / BOX - 100 PCS / CARTON*

SAFETY PADLOCK


M-SAFE SAFETY MINI PADLOCK WITH STAINLESS STEEL SHACKLE

The body is non-conductive & the unique copper key cylinder prevents electricity from travelling from shackle to the key, protecting workers when key is inserted. Durable non-conductive PA lock body, withstand temperature from -20°C to 150°C, resistance of UV rays. Key retaining feature (when the shackle is open, key can't be removed).

M-SAFE SAFETY MINI PADLOCK 1 " (25MM) MODEL : M-MSPL-R

FEATURES :
- *Mini padlock size 1"*
- *Only 1 pc of key*

PACKING INFORMATION:
- *10 PCS / BOX - 100PCS / CARTON*




M-SAFE SAFETY PADLOCK STAINLESS STEEL 3.5MM WIRE ROPE - RED

The body is non-conductive & the unique copper key cylinder prevents electricity from travelling from shackle to the key, protecting workers when key is inserted. Durable non-conductive PA lock body, withstand temperature from -20°C to 150°C, resistance of UV rays. Key retaining feature (when the shackle is open, key can't be removed).

M-SAFE SAFETY PADLOCK STAINLESS STEEL WIRE ROPE - RED MODEL : M-RPL-R

FEATURES :
- *Stainless steel wire rope 3.5mm (diameter)*
- *Length 150 mm*

PACKING INFORMATION:
- *10 PCS / BOX - 100PCS / CARTON*



SAFETY PADLOCK



Stainless Steel Shackle.

Made from aluminium with anodization treatment, provide with label & laser printing if necessary

The solid structure of the lock body can withstand a strong external force.

Key retaining feature

M-SAFE SAFETY ALUIMINIUM PADLOCK

The body is non conductive & the unique copper key cylinder prevents electricity from travelling from shackle to the key, protecting workers when key is inserted. Key retaining feature (when the shackle is open, key can't be removed)




M-SAFE SAFETY ALUMINIUM PADLOCK 1 1/2" (38MM) MODEL : M-ASPL

AVAILABLE COLOURS:

- BLUE
- YELLOW
- GREEN
- RED

PACKING INFORMATION:

- 10 PCS / BOX - 100PCS / CARTON



Durable non -conductive PA lock body. Working temperature range -20°C to 150°C. UV resistant.

Customizable label. (Min 200 Pcs)

Key retaining feature

Key numbering will be laser etch at the back.

M-SAFE SAFETY PADLOCK NYLON SHACKLE

The body is nonconductive & the unique copper key cylinder prevents electricity from travelling from shackle to the key, protecting workers when key is inserted. Durable non-conductive PA lock body, withstand temperature from -20°C to 150°C, resistance of UV rays. K ey retaining feature (when the shackle is open, key can't be removed).



M-SAFE SAFETY NYLON PADLOCK 1 1/2" (38MM) MODEL : M-NPL

AVAILABLE COLOURS:

- BLUE
- YELLOW
- GREEN
- RED

PACKING INFORMATION:

- 10 PCS / BOX - 100PCS / CARTON

LOCKOUT HASPS

M-SAFE SAFETY LOCKOUT HASPS

Simple to use device allowing up to 6 workers to lockout a single energy such as electrical switchgear, etc. Plated to resist chemical & rust. Manufactured from high tensile steel.









FEATURES :
- *Material coated steel.*
- *Lock hole 10.5mm diameter.*
- *Maximum 6 padlock per hasps.*
- *Up to 9.5mm shackle diameter.*

PACKING INFORMATION:
- *10 PCS / BOX - 180PCS / CARTON*



MODEL : M-K02

SIZE :
- *38mm / 1.1/2"*



MODEL : M-K01

SIZE :
- *25mm / 1"*


M-SAFE SAFETY ALUMINIUM LOCKOUT HASPS

Hasps handle is injected with engineering plastic nylon PA. Hasps hook is die-casted with National standard aluminium.




FEATURES :
- *Material aluminium.*
- *Lock hole 10.5mm diameter.*
- *Maximum 6 padlock per hasps.*
- *Up to 9.5mm shackle diameter.*

PACKING INFORMATION:
- *10 PCS / BOX*



MODEL : M-K12

SIZE :
- *38mm / 1.1/2"*



MODEL : M-K11

SIZE :
- *25mm / 1"*

LOCKOUT HASPS


M-SAFE SAFETY LOCKOUT NYLON HASPS

FEATURES:

- *Made from fire-resistant aluminium alloy.*
- *Perfect solution for electric power isolation .*
- *Corrosion resistant.*
- *Explosion-proof.*
- *Opening : push up & down.*
- *M-K41 & M-K42 allows up to 6 padlocks.*

PACKING INFORMATION:

- *15 PCS / BOX*




MODEL : M-K41 **MODEL : M-K42**

M-SAFE SAFETY LOCKOUT NYLON HASPS

PACKING INFORMATION:

- *M-K43 - 15PCS / BOX*
- *M-K44 - 10PCS / BOX*



MODEL : M-K43 **MODEL : M-K44**


LOCKOUT HASPS

M-SAFE SAFETY LOCKOUT DOUBLE END ALUMINIUM HASPS

MODEL : M-K61

FEATURES:
- *Made from fire-resistant aluminium alloy.*
- *Double end allows hasps to be use on various sizes.*
- *Allow up to 8 padlock.*

PACKING INFORMATION:
- *10PCS / BOX*




M-SAFE SAFETY LOCKOUT ALUMINIUM HASPS

MODEL : M-K54

FEATURES:
- *Made from highly oxidized aluminium alloy.*
- *Allow up to 5 padlocks.*

PACKING INFORMATION:
- *10PCS / BOX*



BACK



FRONT

LOCKOUT HASPS



MODEL : M-K63


M-SAFE SAFETY DOUBLE HEAD LOCKOUT

FEATURES:

- *Plastic injection molding .*
- *Corrosion resistant.*
- *Three 8.6mm diameter keyholes.*
- *Simple multi user solution.*
- *M-K63 allows up to 3 padlocks.*

PACKING INFORMATION:

- *10PCS / BOX*



Rotate to open.

MODEL : M-K73

M-SAFE SAFETY PADLOCK CLASP LOCKOUT

MODEL : M-K73

FEATURES:

- *Made from 2mm thick aluminium alloy.*
- *Corrosion resistant.*
- *12 x 7mm diameter keyholes.*
- *Suitable for large management team.*
- *M-K73 allows up to 12 padlocks.*

PACKING INFORMATION:

- *10PCS / BOX*

LOCKOUT TAG

M-SAFE SAFETY LOCKOUT SCAFFOLDING TAG & TAG HOLDER



FEATURES :


- *M-STH Tag Holder is made from durable ABS that is tempreature resistant & weatherproof.*
- *The holder displays :- "SCAFFOLD INCOMPLETE DO NOT USE" prior to inspection then is used in conjunction with a choice of 3 inspection insert, prohibition, standard inspection & load classification"*
- *M-STH Tag Holder is integrated with a card slot for M-STG100 Scaffolding Inspection Tag.*
- *M-STG100 Tag is in Bahasa Melayu & English.*

ORDERING INFORMATION:

- *M-STG100 Scaffolding Tag ~ MOQ 50PCS. 50PCS / PACK 2000PCS / CARTON.*
- *M-STH Scaffolding Tag Holder ~ MOQ 10PCS. 10PCS/ PACK 300PCS / CARTON.*



M-STH



FRONT BACK

M-STG100

M-SAFE SAFETY LOCKOUT TAG

FEATURES :

- *Made from premium polyurethane sheet.*
- *weatherproof.*
- *Size W75 x H146 x T0.5 mm*



AVAILABLE MODELS :

- *M-LTAG100 ~'DO NOT OPERATE'.*
- *M-LTAG200~'ELECTRICAL PANEL LOCKED OUT'*

ORDERING INFORMATION:

- *M-LTAG 100 / 200 ~ MOQ 50PCS 50PCS / PACK - 1000PCS / CARTON*



FRONT BACK

MODEL : M-LTAG100




FRONT BACK

MODEL : M-LTAG200

CABLE LOCKOUT

M-SAFE SAFETY MULTIPURPOSE CABLE LOCKOUT



MODEL : M-L02







FEATURES :

- *Material plastic nylon PA.*
- *Impact resistant.*
- *Lock hole 8mm diameter.*
- *Maximum 5 padlock per lockout.*
- *2.4mtr x 3.5mm steel cable.*
- *Cable is covered with anti-UV PVC sleeve.*
- *Customizable label & colour MOQ200pcs*

PACKING INFORMATION:

- *7 PCS / BOX*

M-SAFE SAFETY ADJUSTABLE CABLE LOCKOUT



MODEL : M-L10 - 1.0 MTR
M-L11 - 1.8 MTR





AVAILABLE MODELS:

- *M-L10 ~ 1.0 Meter / 6mm dia. cable*
- *M-L11 ~ 1.8 Meter / 6mm dia. cable*

FEATURES :

- *Made from high impact material.*
- *Working tempreature -46°C to 149°C*
- *Maximum 4 padlock per unit.*
- *Up to 7.0mm shackle diameter.*
- *Stainless steel cable is covered with anti -UV sleeve*

PACKING INFORMATION:


- *10 PCS / BOX*

CABLE LOCKOUT

M-SAFE SAFETY WHEEL TYPE CABLE LOCKOUT

FEATURES :
- *Made from impact resistant plastic nylon PC & brass parts.*
- *Can be customized to other colour MOQ 200pcs.*
- *2 meter stainless steel cable with 2mm dia.*
- *Cable's outer layer is made of anti-UV PVC.*
- *Fits up to 4 padlocks.*

PACKING INFORMATION:
- *5 PCS / BOX.*



MODEL : M-L32






M-SAFE SAFETY AUTOMATIC RETRACTABLE CABLE LOCKOUT

FEATURES :
- *Made from Polycarbonate Plastic.*
- *1.8meter stainless steel cable.*
- *Cable is protected by a 2.0mm anti-UV PVC sleeve.*
- *Automatic retractable cable.*
- *2 padlock with 7.0mm diameter shackle.*


PACKING INFORMATION:
- *2 PCS / BOX*



MODEL : M-L41



VALVE LOCKOUT



M-F02


M-F01


M-SAFE SAFETY ADJUSTABLE BALL VALVE LOCKOUT

FEATURES:
- Made from polypropylene PP.
- Maximun padlock diameter 9.0mm

AVAILABLE MODELS:
- M-F01 ~ Size 1/2" - 2 1/2"
- M-F02 ~ Size 2" - 8 "


PACKING INFORMATION:
- M-F01 ~ 2PCS / BOX 96PCS / CARTON
- M-F02 ~2PCS / BOX 8PCS / CARTON











M-F21

M-SAFE SAFETY BUTTERFLY VALVE LOCKOUT

FEATURES:
- Made from polypropylene PP.
- Adjustable lock range.
- Valve lock diameter 8mm - 45mm.
- Maximun padlock diameter 7.0mm

AVAILABLE MODEL:
- M-F21

PACKING INFORMATION:
- 4PCS / BOX 16PCS / CARTON







VALVE LOCKOUT

M-SAFE SAFETY STANDARD BALL VALVE LOCKOUT





M-F03





MODEL : M-F03 *(1/4"- 1")*


FEATURES:

- *Made from A3 steel plate*
- *Single piece design that locks ball valve in OFF position.*
- *Compact & light weight solution.*
- *Maximun padlock diameter 9.0mm*
- *Suitable for 6.35mm (1/4") to 25.4mm (1") pipe.*

PACKING INFORMATION:

- *M-F03 ~ 5 PCS / BOX 200 PCS / CARTON*

M-SAFE SAFETY STANDARD BALL VALVE LOCKOUT



M-F04


MODEL : M-F04 *(1 1/2"- 3")*


FEATURES:

- *Made from A3 steel plate*
- *Single piece design that locks ball valve in OFF position.*
- *Compact & light weight solution.*
- *Maximun padlock diameter 9.0mm*
- *Suitable for 38.1mm(1 1/2") to 76.2mm (3") pipe.*


PACKING INFORMATION:

- *M-F04 ~ 5 PCS / BOX 60 PCS / CARTON*









M-SAFE SAFETY GATE VALVE LOCKOUT

FEATURES:

- *Made from durable palstic that can whistand extreme weather.*
- *2 parts can be combined into one for easy storage.*
- *Suitable for majority valve handle.*
- *Size ranging from 25mm (1") - 330mm (13")*
- *Only requires one padlock with shackle of 7mm diameter.*

MODEL	VALVE HANDLE	PACKING INFO	
		BOX	CARTON
M-F11A	1" - 2 1/2"	5	250
M-F12A	2 1/2" - 5"	6	72
M-F13A	5" - 6 1/2"	5	50
M-F14A	6 1/2" - 10"	1	12
M-F15A	10" - 13"	1	8









MODEL : M-F16

M-SAFE SAFETY ADJUSTABLE GATE VALVE LOCKOUT

MODEL : M-F16

FEATURES:

- *Made from polypropylene PP.*
- *Suitable for valve handle from 25mm (1") to 165mm (6 1/2") diameter.*
- *Can be locked by 3 padlock with*
- *Maximum 7mm shackle diameter.*

PACKING INFORMATION:

- *3 PCS / BOX*
- *48 PCS / CARTON*







MCB LOCKOUT

M-SAFE SAFETY MINIATURE CIRCUIT BREAKER LOCKOUT



FEATURES:

- *Made from durable nylon PA*
- *Compatible with majority of circuit breaker in the market.*
- *Easy installation.*
- *To be used with single padlock*
- *Padlock shackle diameter up to 7mm.*



MODEL : M-D01
POS (PIN OUT STANDARD)


- *Hole spacing≤ 12mm.*
- *Packing : 20 PCS / BOX*





MODEL : M-D02
PIS (PIN IN STANDARD)


- *Hole spacing≤ 12mm.*
- *Packing : 20 PCS / BOX*





MODEL : M-D03
TBLO (TIE BAR LOCKOUT)

- *Packing : 10PCS / BOX*





MODEL : M-D04
POW (PIN OUT WIDE)

- *Hole spacing≤ 20mm.*
- *Packing : 20PCS / BOX*



CIRCUIT BREAKER LOCKOUT

M-SAFE SAFETY SIMPLE CIRCUIT BREAKER LOCKOUT

FEATURES:


- *Made from reinforced PA.*
- *Single padlock with 7mm diameter shackle.*





MODEL : M-D05-1


- *Suitable for single pole miniature circuit breaker with handle ≤ 7.7mm.*
- *Packing : 20 PCS / BOX*





MODEL : M-D05-2

- *Suitable for 2 to 4 pole miniature circuit breaker.*
- *Packing : 20 PCS / BOX*





MODEL : M-D05-3

- *Suitable for mini & mid size circuit breaker with handle ≤ 5.0mm.*
- *Packing : 20 PCS / BOX*





MODEL : M-D05-4

- *Suitable for mini & mid size circuit breaker with handle ≤ 5.0mm.*
- *Packing : 20 PCS / BOX*





MODEL : M-D05-5

- *Suitable for large size circuit breaker.*
- *Packing : 15 PCS / BOX*





MODEL : M-D05-6

- *Suitable for mini size circuit breaker with handle width ≤ 9.3mm while middle size circuit breaker handle ≤ 12.0mm.*
- *Packing : 20 PCS / BOX*

CIRCUIT BREAKER LOCKOUT

M-SAFE SAFETY CLAMP-ON BREAKER LOCKOUT

FEATURES:
- *Made from polypropylene & impact modified PA.*
- *Thumbscrew is use to clamp lockout securely to switch lever.*
- *Suitable for wide range of breakers.*
- *For use with single padlock with shackle diameter up to 7mm.*



MODEL : M-D11X
- *Lockable range : 10mm x 16 mm*
- *Packing : 9 PCS / BOX*



MODEL : M-D12X
- *Lockable range : 13mm x 38 mm*
- *Packing : 8 PCS / BOX*



MODEL : M-D13X
- *Lockable range : 22mm x 68 mm*
- *Packing : 2 PCS / BOX*

M-SAFE SAFETY MULTI-FUNCTION MINIATURE BREAKER LOCKOUT

MODEL : M-D14

FEATURES:
- *Made from nylon PA for extra durability.*
- *Chrome plated brass screw.*
- *Suitable for all kind of small & medium size circuit breaker.*
- *Perfect solution for miniature circuit breaker.*
- *Allows 1 padlock with shackle diameter of ≤ 7.0mm.*


PACKING INFORMATION:
- *20 PCS / BOX*








CIRCUIT BREAKER LOCKOUT



MODEL : M-D15





M-SAFE SAFETY MULTI-FUNCTION CIRCUIT BREAKER LOCKOUT




FEATURES:

- *Made from reinforced nylon.*
- *Chrome plated brass screw.*
- *Locking screw unable the lockout to be adjusted without any use of tools.*
- *Perfect for medium size circuit breaker with handle width ≤20mm.*
- *Single padlock with 8mm diameter shackle.*

PACKING INFORMATION:

- *20 PCS / BOX 240 PCS / CARTON*



MODEL : M-D16





M-SAFE SAFETY LARGE TYPE CIRCUIT BREAKER LOCKOUT



FEATURES:

- *Made from reinforced nylon.*
- *Chrome plated brass screw.*
- *Locking screw unable the lockout to be adjusted without any use of tools.*
- *Perfect for large size circuit breaker with handle width ≤20mm.*
- *Single padlock with 8mm diameter shackle.*

CIRCUIT BREAKER LOCKOUT

M-SAFE SAFETY MEDIUM CIRCUIT BREAKER LOCKOUT

MODEL : M-D17


FEATURES:

- *Made from die-cast aluminium alloy, nlyon & ABS.*
- *Suitable for all kind of small & medium size circuit breaker.*
- *Perfect solution for medium circuit breaker.*
- *Easily adjusted with out any tools.*
- *Handle with width 20mm≤H12.0mm D≤a ≤7.5mm.*

PACKING INFORMATION:

- *10 PCS / BOX*

MODEL : M-D17









M-SAFE SAFETY MEDIUM CIRCUIT BREAKER LOCKOUT

MODEL : M-D18


FEATURES:

- *Made from die-cast aluminium alloy, nlyon & ABS.*
- *Suitable for all kind of small & medium size circuit breaker.*
- *Perfect solution for medium circuit breaker.*
- *Easily adjusted with out any tools.*
- *Handle with width ≤H16.0mm D≤a ≤W8mm.*


PACKING INFORMATION:

- *20 PCS / BOX*

MODEL : M-D18










CIRCUIT BREAKER LOCKOUT





MODEL : M-D20

M-SAFE SAFETY SMALL-SCALE CIRCUIT BREAKER LOCKOUT


MODEL : M-D20

FEATURES:

- *Made from die-cast aluminium alloy, nlyon & ABS.*
- *Suitable for all kind of small size circuit breaker.*
- *Perfect solution small circuit breaker.*
- *Easily adjusted with out any tools.*
- *Handle with width 15mm≤H15.0mm D≤a ≤7.0mm.*

PACKING INFORMATION:

- *120PCS / BOX 480PCS / CARTON*



MODEL : M-D21



M-SAFE SAFETY SNAP-ON CIRCUIT BREAKER LOCKOUT


MODEL : M-D21

FEATURES:

- *Made from high impact PP & nylon PA.*
- *Double slot suitable for different sizes switch.*
- *Perfect solution min circuit breaker with holes on the side of the handle.*
- *To be use with 1 padlock shackle diameter ≤7.0mm.*

PACKING INFORMATION:

- *50PCS / BOX 2000PCS / CARTON*







M-SAFE SAFETY BREAKER BLOCKER LOCKOUT



MODEL : M-D22

FEATURES:

- *Made from durable plastic maetrial.*
- *Easy installation with back adhesive.*
- *Package with 2 x 19mm length rod.*
- *Red to indicate switch is on OFF state .*
- *Green to indicate switch is on ON state.*
- *Able to use 2 padlock with shackle dia. of ≤7.0mm.*

PACKING INFORMATION:

- *10SET/ BOX 120 SET / CARTON*

CIRCUIT BREAKER LOCKOUT

M-SAFE SAFETY UNIVERSAL WALL-TYPE SWITCH COVER LOCKOUT

MODEL : M-D23

FEATURES:
- *Made from ABS & acrylic.*
- *Suitable for padlock with ≤7.5mm shackle.*
- *Size : L 120mm x W45mm x T 26mm.*

PACKING INFORMATION:
- *15 PCS / BOX*




MODEL : M-D23

M-SAFE SAFETY CIRCUIT BREAKER LOCKOUT

MODEL : M-D24W

FEATURES:
- *Made from durable plastic and fitted with chrome plated brass screw.*
- *Locking screw can be lock without any tools*
- *Suitable for breaker with ≤W8mm width lever.*

PACKING INFORMATION:
- *15 PCS / BOX*




MODEL : M-D24W

M-SAFE SAFETY SIMPLE CIRCUIT BREAKER LOCKOUT

MODEL : M-D26

FEATURES:
- *Made from aluminium alloy.*
- *Suitable for majority small size circuit breaker.*
- *Simple and affordable lockout solution.*


PACKING INFORMATION:
- *8 PCS / BOX*





MODEL : M-D26

ELECTRICAL PLUG LOCKOUT



M-SAFE SAFETY ELECTRICAL PLUG LOCKOUT

FEATURES:


- *Made from durable polypropelene.*
- *Suitable for majority industrial plugs.*
- *Support 2-4 padlock.*
- *Padlock diameter ≤7mm.*

AVAILABLE MODELS:

- *M-D41 ~Size 51 x 51 x 89 mm. Cable dia. 13mm.*
- *M-D42 ~Size 65 x 65 x 118 mm. Cable dia. 20mm.*
- *M-D43 ~Size 83 x83 x 178 mm. Cable dia. 25mm.*

PACKING INFORMATION:

- *M-D41 - 8 PCS / BOX*
- *M-D42 - 4 PCS / BOX*
- *M-D43 - 2 PCS / BOX*



M-SAFE SAFETY INDUSTRIAL WATERPROOF PLUG LOCKOUT

MODEL : M-D46





MODEL : M-D46





FEATURES:

- *Made from durable plastic PC material.*
- *Suitable for majority industrial plugs.*
- *Support 1 padlock.*
- *Padlock diameter ≤7mm.*

PACKING INFORMATION:

- *12 PCS / BOX, 648 PCS / CARTON*

EMERGENCY STOP LOCKOUT


M-SAFE SAFETY EMERGENCY STOP SWITCH COVER LOCKOUT

FEATURES:
- *Made from durable transparent glass resin.*
- *Suitable for press or screw emergency button.*

AVAILABLE MODELS:
- *M-D51 ~ Height 31.9mm (OD49.6 mm / ID22mm).*
- *M-D52~ Height 31.9mm (OD49.6 mm / ID30mm).*
- *M-D53 ~ Height 49.0mm (OD60mm / ID22 /33mm).*

PACKING INFORMATION:
- *M-D51 ~4PCS / BOX*
- *M-D52~4PCS / BOX*
- *M-D53 ~4PCS / BOX*









MODEL : M-D52

MODEL : M-D51



MODEL : M-D53

Length : 50mm, Width : 47.3mm, Height : 50mm
Installing Hole inner diameter : 22mm or 30mm.
Packing Information : 15 PCS / BOX







MODEL : M-D54

Suitable for 22, 30 or 38mm switch lockout.Two-side hole design, can lock plug on the wall. Can be fixed with screw or 3M double face adhesive tape on the bottom of the equipment.
Hole dimension : 74mm x 74mm. Packing Information : 1pc / box.








MODEL : M-D63

CIRCUIT BREAKER LOCKOUT



MODEL : M-D100

M-SAFE SAFETY CIRCUIT BREAKER LOCKOUT




MODEL : M-D100

FEATURES:

- *Made from reinforced nylon.*
- *Perfect for medium & miniature size circuit breaker*
- *Single padlock with ≤8.6mm diameter shackle.*

PACKING INFORMATION:

- *10 PCS / BOX*



MODEL : M-D200

M-SAFE SAFETY CIRCUIT BREAKER LOCKOUT



MODEL : M-D200

FEATURES:

- *Made from reinforced nylon.*
- *Perfect for medium & miniature size circuit breaker*
- *Single padlock with ≤7.6mm diameter shackle.*


PACKING INFORMATION:

- *20 PCS / BOX*





M-SAFE SAFETY AIR COUPLER LOCKOUT




MODEL : M-Q11

FEATURES:

- *Made from 304 stainless steel.*
- *Compatible with all pnuematic fittings.*
- *Able to be locked with safety padlock or hasps.*
- *Size L196mm x W35mm x 3mm thick.*
- *Up to 4 padlock with shackle diameter ≤7mm can be use at the same time.*

PACKING INFORMATION:

- *40 PCS / BOX*



M-SAFE SAFETY CYLINDER TANK LOCKOUT



MODEL : M-Q31

FEATURES:

- *Made from 304 high grade PP.*
- *Prevents access to main cylinder valve.*
- *Can be used for cylinder with 80mm diameter neck.*
- *Size Ø103mm x H160 x base Ø126mm.*
- *Up to 3 padlock with shackle diameter ≤7mm can be use at the same time.*


PACKING INFORMATION:

- *3 PCS / BOX, 30 PCS / CARTON*




PORTABLE LOCKOUT KIT

MODEL : M-X02



MODEL : M-X04




M-SAFE SAFETY PORTABLE LOCKOUT KIT

FEATURES:

- *Made from steel finish with plastic treatment.*
- *Foldable handle for easy storage.*
- *Able to accommodate 12 padlocks at the same time.*
- *Can be used as a mini portable lockout box.*

AVAILABLE MODELS:

- *M-X02 ~ W 233 x H195 x D95mm*
- *M-X04 ~ W 235 x H150 x D185mm*



MODEL : M-X21

M-SAFE SAFETY HANGING LOCKOUT KIT

MODEL : M-X21

FEATURES:

- *Made from ABS & PC.*
- *Item is visible as the cover is transparent.*
- *Able to accommodate 12 padlocks at the same time.*
- *Has total 6 hooks inside and 2 on the outside.*
- *The 2 outer hooks is perfect for storing lockout tags.*
- *Can be locked with 8 padlock at the same time.*
- *Can be used as a mini lockout box.*
- *Size W98 x H180 x D 120mm.*

LOCKOUT MANAGEMENT STATION


M-SAFE SAFETY LOCKOUT MANAGEMENT STATION





MODEL : M-X08

FEATURES:

- *Made from steel with high temperature plastic finish.*
- *30 position available.*
- *Each position are able to store 2 padlocks / 2 hasps or 40 pcs tagout tags.*
- *Dimension W560 x H460 X D70mm.*







MODEL : M-X08

M-SAFE SAFETY LOCKOUT PADLOCK STATION



MODEL : M-B32

FEATURES:

- *Made from steel with high temperature plastic finish.*
- *Able to hold up to 10 padlocks.*
- *Dimension W270 x H40 X D80mm.*



MODEL : M-B32

Products images are for illustration purpose only.

LOCKOUT MANAGEMENT STATION



Max. 2 padlock storage per slot.

Dedicated slots for hasps or padlock.

Dedicated cable tie & tag slot.

MODEL : M-B102

Dimension : H393 x W558mm x D65mm.



MODEL : M-B103

Dimension : H396 x W574mm x D108mm.

M-SAFE SAFETY LOCKOUT COMBINATION STATION

FEATURES:

- *Made from strong PC plastic.*
- *Has dedicated slots for cable ties,*
- *hasps and tags.*
- *Durable transparent cover.*
- *Can be lock with padlock.*

AVAILABLE MODELS:


- ***M-B102** : With 10 padlocks positions, each position can accommodate 2 padlocks, 4 hasps, several tagouts, cable ties & etc.*
  Dimension : H393 x W558mm x D65mm.


- ***M-B103** : With 8 padlocks positions, each position can accommodate 2 padlocks, or various of padlocks, several tagouts, cable ties & etc.*
  Dimension : H396 x W574mm x D108mm.

Products images are for illustration purpose only.

LOCKOUT MANAGEMENT STATION


M-SAFE SAFETY COMBINATION LOCKOUT STATION





MODEL : M-B201

Able to store 20 padlocks 6hasps, several tagouts, cable ties & mini lockouts & etc.
Dimension :
W650mm x H590mm x D95mm



MODEL : M-B202

Able to store 30 padlocks, several hasps, several tagouts, cable ties, mini lockouts & etc
Dimension :
W650mm x H590mm x D95mm



MODEL : M-B203

Able to store 10 padlocks, 2 mobile phone boxes, 6 hasps, several tagouts, cable ties, mini lockouts& etc.
Dimension :
W650mm x H590mm x D95mm

Products images are for illustration purpose only.

A4 DOCUMENT STORAGE BOX



STRONG MAGNETS FOR QUICK INSTALLATION ON METAL SURFACE



W240mm x H330mm x D50mm

Depth 45mm

M-SAFE MAGNETIC A4 MSDS DOCUMENT STORAGE BOX

MODEL : M-AH100

FEATURES:

- *With four magnets for quick installation on metal surfaces.*
- *Clear front cover for easy visibility to check contents without opening.*
- *High visibility with bold "MSDS" label for quick identification.*
- *Can hold more than 100 sheet of A4.*
- *Comes with mounting point & screws for setup.*
- *Meets safety rules (OSHA)*
- *Includes a locking hole for padlock.*

PACKING INFORMATION:

- *1 PC / BOX*
- *8 PCS / CARTON*



HOLE FOR PADLOCK

ABLE TO STORE 100+ SHEET OF A4 DOCUMENTS

LOCKOUT COMBINATION BAG

M-SAFE SAFETY LOCKOUT COMBINATION BAG

MODEL : M-Z11

ITEMS INCLUDED:

- *Portable carrying bag x 1unit*
- *Nylon shackle safety padlock x 1unit*
- *S/Steel shackle safetry padlock x 1 unit*
- *Double-end aluiminium hasps x 1unit*
- *Multi-function miniature breaker lockout x 1unit*
- *Multi-function circuit breaker lockout x 1unit*
- *Adjustable ball valve lockout x 1unit*
- *Gate valve lockout x 1unit*
- *Special pen for PVC tag x 1unit*
- *Lockout tag x 10unit*



MODEL : M-Z11

MODEL : M-Z12

ITEMS INCLUDED:

- *Portable carrying bag x 1unit*
- *Nylon shackle safety padlock x 1unit*
- *S/Steel shackle safetry padlock x 2 unit*
- *Double-end aluiminium hasps x 1unit*
- *Aluminium hasps x 1unit*
- *Multi-function miniature breaker lockout x 2unit*
- *Multi-function circuit breaker lockout x 2unit*
- *Adjustable ball valve lockout x 1unit*
- *Automatic retractable cable lockout x 1unit*
- *Gate valve lockout x 1unit*
- *Special pen for PVC tag x 1unit*
- *Lockout tag x 10unit*



MODEL : M-Z12

ELECTRICAL ISOLATION COMBINATION BAG MODEL : M-Z13

ITEMS INCLUDED:

- *Portable carrying bag x 1unit*
- *Nylon shackle safety padlock x 4unit*
- *Nylon lockout hasps x 2unit*
- *Double-end aluiminium hasps x 1unit*
- *Multi-function miniature breaker lockout x 2unit*
- *Multi-function circuit breaker lockout x 2unit*
- *Large tyoe circuit breaker lockout x 1unit*
- *Adjustable cable lockout x 1unit*
- *Electrical plug lockout x 1unit*
- *Special pen for PVC tag x 1unit*
- *Lockout tag x 10unit*



MODEL : M-Z13

LOCKOUT COMBINATION KIT



M-SAFE SAFETY LOCKOUT COMBINATION KIT

MODEL : M-Z14

ITEMS INCLUDED :

- *M-Z03 : Portable carrying kit x 1 unit*
- *M-SPL-R : S/Steel shackle safety padlock x 4 units*
- *M-LTAG100 : Lockout tag "DO NOT OPERATE" x 5 units*
- *M-LTAG200 : Lockout tag " ELECTRICAL PANEL LOCKED OUT" x 5 units*
- *M-K01 : Lockout hasp 25mm x 2 units*
- *M-K02 : Lockout hasp 38mm x 2 units*
- *M-K41 : Lockout nylon hasp x 2 units*
- *M-D12X : Clamp on breaker lockout x 2 units*
- *M-D17 : Medium circuit breaker x 2 units*
- *M-D01 : Pin out standard mini circuit breaker x 2 units*
- *M-D02 : Pin in standard mini circuit breaker x 2 units*
- *M-D24W : Circuit breaker lockout x 2 units*
- *M-F16 : Gate valve lockout x 1 unit*
- *M-L10 : Adjustable cable lockout 1 meter x 1 unit*
- *M-F01 : Adjustable ball valve lockout x 1 unit*
- *M-D41 : Electrical plug lockout cable dia 13mm x 1 unit*
- *M-D42 : Electrical plug lockout cable dia 20mm x 1 unit*


PACKING INFORMATION :

- *1 SET /BOX*

CABLE SEAL LOCK









Cable Length : 1 meter

M-SAFE ALLUMINUM ALLOY STEEL CABLE SEAL LOCK - RED (CLOSE)

MODEL : M-CS-RED

FEATURES :


- *Used to secure transporting cargo and other highly valuable items.*
- *Cable seals come in steel wire and aluminum head parts with tags.*
- *Adjustable lengths of the locking mechanism limited only by the metallic cable length.*
- *Applications are security sealing high-value shipments, trailer door latches, container door latches, bulk tankers, valves and meters, railcars and etc.*

PACKING INFORMATION :

- *10 SETS / PACK*
- *48 PACKS / CARTON*









Cable Length : 1 meter

M-SAFE ALLUMINUM ALLOY STEEL CABLE SEAL LOCK - GREEN (OPEN)

MODEL : M-CS-GREEN

FEATURES :

- *Used to secure transporting cargo and other highly valuable items.*
- *Cable seals come in steel wire and aluminum head parts with tags.*
- *Adjustable lengths of the locking mechanism limited only by the metallic cable length.*
- *Applications are security sealing high-value shipments, trailer door latches, container door latches, bulk tankers, valves and meters, railcars and etc.*

PACKING INFORMATION :

- *10 SETS / PACK*
- *48 PACKS / CARTON*