WELDING EQUIPMENT

YMT OXYGEN REGULATOR

MODEL : YMT-OR100

FEATURES :

- *For general wedling and cutting, these regulators feature greater flow and accuracy, more economy, simple repaires and greater safety.*

PACKING INFORMATION:

- *12 PCS /CARTON*



YMT ACETYLENE REGULATOR

MODEL : YMT-AR100

FEATURES :

- *Acetylene gas regulator is used to regulate high pressure of acetylene gas in cylinder for required working pressure, and ensure the outlet pressure steady when input pressure and outlet flow change in process of welding, cutting and chemical.*

PACKING INFORMATION:

- *12 PCS /CARTON*



WELDING EQUIPMENT

YMT-FBA 288 A



YMT-FBA 288 O



YMT - FLASHBACK ARRESTOR

FEATURES:

- *Meet the requirements of welding process, no influence on the flame temperature, gas flow, etc.*
- *High quality brass construction, rugged and corrosion resistant.*

AVAILABLE MODELS:

- ***YMT-FBA288A** - Acetylene Flashback Arrestor*
- ***YMT-FBA288O** - Oxygen Flashback Arrestor*

PACKING INFORMATION:

- *50 PCS /BOX, 100 BOX /CARTON*

YMT-FBA 588 A



YMT-FBA 588 O



YMT - FLASHGUARD

FEATURES:

- *Meet the requirements of welding process, no influence on the flame temperature, gas flow, etc.*
- *High quality brass construction, rugged and corrosion resistant.*

AVAILABLE MODELS:

- ***YMT-FBA588A** - Acetylene Flashguard*
- ***YMT-FBA588O** - Oxygen Flashguard*

PACKING INFORMATION:

- *50 PCS /BOX, 100 BOX /CARTON*

YMT-FBA 558 A



YMT-FBA 558 O



YMT - CHECK VALVE

FEATURES:

- *Meet the requirements of welding process, no influence on the flame temperature, gas flow, etc.*
- *High quality brass construction, rugged and corrosion resistant.*

AVAILABLE MODELS:

- ***YMT-FBA558A** - Acetylene Check Valve*
- ***YMT-FBA558O** - Oxygen Check Valve*

PACKING INFORMATION:

- *50 PCS /BOX, 100 BOX /CARTON*



POLY LENSES - MEXICO

MODEL : WL-PL100

FEATURES:

- *Poly Lenses – Mexico*

PACKING INFORMATION:

- *50 PCS /PACK*

WELDING EQUIPMENT

YMT ELECTRODE HOLDER 500AMP - JAPAN TYPE

MODEL : YMT-EH500

FEATURES :

- *Copper clamp - The welder's choice of electrode holder*
- *Japan Type*

PACKING INFORMATION :

- *50 PCS /CARTON*



YMT-EH500

YMT HEAVY DUTY ELECTRODE HOLDER 500AMP - AMERICA TYPE

MODEL : YMT-EH500A

FEATURES :

- *Copper clamp - The welder's choice of electrode holder*
- *America Type*

PACKING INFORMATION :

- *25 PCS /CARTON*



YMT-EH500A

YMT EARTH CLAMP - HOLLAND TYPE


MODEL : YMT-EC300H / YMT-EC500H

FEATURES :

- *Made from iron and copper. Nut and bolt to hold the clamp shut, ensuring it doesn't slip while you're working.*
- *Tough, rugged design that suitable for any welding machine up to 500A.*
  ***YMT-EC300H** : YMT Earth Clamp 300Amp*
  ***YMT-EC500H** : YMT Earth Clamp 500Amp (holland type)*

PACKING INFORMATION :

- *YMT-EC300H : 100 PCS /CARTON*
- *YMT-EC500H : 50 PCS /CARTON*



YMT-EC300H

YMT-EC500H

YMT HEAVY DUTY EARTH CLAMP 500AMP - AMERICA TYPE


MODEL : YMT-EC500A

FEATURES :

- *Large hex screw cable connection assures a tight and safe cable connection. It has a large contact area for an effective ground connection.*

AVAILABLE MODEL :

- *50 PCS /CARTON*



YMT-EC500A



YMT - SLUGGING WRENCH

FEATURES :

- *Straight handle design resists.*
- *Rust resistant polished chrome finish.*
- *Head type : Ring.*
- *Handle type : straight*
- *High Quality and Comfortable Use*

AVAILABLE MODELS :

- *YMT-SW017 : 17 mm*
- *YMT-SW019 : 19 mm*
- *YMT-SW022 : 22 mm*
- *YMT-SW024 : 24 mm*
- *YMT-SW027 : 27 mm*
- *YMT-SW030 : 30 mm*
- *YMT-SW032 : 32 mm*
- ***YMT-SW034 : 34 mm***
- *YMT-SW036 : 36 mm*
- *YMT-SW041 : 41 mm*
- *YMT-SW046 : 46 mm*
- *YMT-SW050 : 50 mm*
- *YMT-SW055 : 55 mm*
- *YMT-SW060 : 60 mm*
- *YMT-SW065 : 65 mm*
- *YMT-SW070 : 70mm*
- *YMT-SW075 : 75mm*
- *YMT-SW080 : 80mm*
- *YMT-SW085 : 85 mm*
- *YMT-SW090 : 90 mm*
- *YMT-SW095 : 95 mm*
- *YMT-SW100 : 100 mm*
- ***YMT-SW105 : 105 mm***
- ***YMT-SW110 : 110 mm***
- ***YMT-SW115 : 115 mm***
- ***YMT-SW120 : 120 mm***



YMT - COMBINATION WRENCH

FEATURES :

- *Angled Open End: To reduce the working swing arc in tight spaces, the open end is angled 15 degrees so the wrench can be flipped over with each rotation to engage the fastener twice as often.*
- *Offset Box End: The box end is offset 15 degrees, creating clearance for your fingers and making it easier to reach around obstructions.*

AVAILABLE MODELS :

- *YMT-CW033 : 33 mm*
- *YMT-CW034 : 34 mm*
- *YMT-CW035 : 35 mm*
- *YMT-CW036 : 36 mm*
- *YMT-CW038 : 38 mm*
- *YMT-CW040 : 40 mm*
- *YMT-CW041 : 41 mm*
- *YMT-CW042 : 42 mm*
- *YMT-CW046 : 46 mm*
- *YMT-CW050 : 50 mm*
- *YMT-CW055 : 55 mm*
- *YMT-CW060 : 60 mm*
- *YMT-CW065 : 65 mm*
- *YMT-CW070 : 70 mm*
- *YMT-CW075 : 75 mm*
- *YMT-CW080 : 80 mm*
- *YMT-CW085 : 85 mm*

HAND TOOLS

YMT - OPEN END SLUGGING WRENCH



FEATURES :

- *Straight handle design resists.*
- *Rust resistant polished chrome finish.*
- *Head type : open end.*
- *Handle type : straight*
- *High Quality and Comfortable Use*

AVAILABLE MODELS :

- *YMT-SWE022 : 22 mm*
- *YMT-SWE024 : 24 mm*
- *YMT-SWE027 : 27 mm*
- *YMT-SWE030 : 30 mm*
- *YMT-SWE032 : 32 mm*
- *YMT-SWE036 : 36 mm*
- *YMT-SWE041 : 41 mm*
- *YMT-SWE046 : 46 mm*
- *YMT-SWE050 : 50 mm*
- *YMT-SWE055 : 55 mm*
- *YMT-SWE060 : 60 mm*
- *YMT-SWE065 : 65 mm*
- *YMT-SWE070 : 70 mm*
- *YMT-SWE075 : 75 mm*
- *YMT-SWE080 : 80 mm*
- *YMT-SWE085 : 85 mm*
- *YMT-SWE090 : 90 mm*
- *YMT-SWE095 : 95 mm*
- *YMT-SWE100 : 100 mm*
- *YMT-SWE105 : 105 mm*
- *YMT-SWE110 : 110 mm*
- *YMT-SWE115 : 115 mm*
- *YMT-SWE120 : 120 mm*

YMT - SINGLE OPEN END WRENCH



FEATURES :

- *Straight handle design resists.*
- *Rust resistant polished chrome finish.*
- *Head type : open end*
- *Handle type : straight*
- *High Quality and Comfortable Use*

AVAILABLE MODELS :

- *YMT-SOE030 : 30 mm*
- *YMT-SOE032 : 32 mm*
- *YMT-SOE034 : 34 mm*
- *YMT-SOE036 : 36 mm*
- *YMT-SOE038 : 38 mm*
- *YMT-SOE041 : 41 mm*
- *YMT-SOE046 : 46 mm*
- *YMT-SOE050 : 50 mm*
- *YMT-SOE055 : 55 mm*
- *YMT-SOE060 : 60 mm*
- *YMT-SOE065 : 65 mm*
- *YMT-SOE070 : 70 mm*
- *YMT-SOE075 : 75 mm*
- *YMT-SOE080 : 80 mm*
- *YMT-SOE085 : 85 mm*
- *YMT-SOE090 : 90 mm*

YMT - F-TYPE WRENCH



FEATURES :

- *It is made of high quality 45 carbon steel more durable, with large torque, overall heat treatment process.*
- *Polished surface to prevent rust.*

AVAILABLE MODELS :

- *YMT-FW280 : 11" (280MM)*
- *YMT-FW375 : 15" (375MM)*

PACKING INFORMATION :

- *YMT-FW280 : 48 PCS/ CARTON*
- *YMt-FW375 : 24 PCS/ CARTON*

CUTTING TOOLS



YMT - MINI BOLT CUTTER 8" (200MM)

MODEL : YMT-MB200

FEATURES :

- *Made from high-performance chrome vanadium steel that has been forged and undergoes a multi-stage oil-hardening process.*
- *The cutting edge of the item has an approximate hardness of 60+ HRC and has undergone induction hardening.*
- *The soft wire cutting capacity is up to 6.0mm, the medium-hard wire cutting capacity is up to 5.2mm, and the hard wire cutting capacity is up to 4.0mm.*

SPECIFICATION :

- *Size : 200 mm (8")*
- *Weight : 0.28kg*
- *Open Degree : 5 mm*

PACKING INFORMATION :

- *10 PCS/BOX, 60 PCS/CARTON*

COPPER HAMMER



YMT - COPPER HAMMER

FEATURES :

- *Precision-machined solid brass head.*
- *Fiberglass handles for extra durability.*
- *Non-slip comfort rubber handle design.*
- *Use as general purpose solf-faced hammer in automotive, general engineering for assembly. repair & maintenance.*

AVAILABLE MODELS :

- *YMT-CH100 : 1 lbs*
- *YMT-CH200 : 2 lbs*
- *YMT-CH300 : 3 lbs*
- *YMT-CH400 : 4 lbs*
- *YMT-CH600 : 6 lbs*
- *YMT-CH800 : 8 lbs*
- *YMT-CH1000 : 10 lbs*
- *YMT-CH1200 : 12 lbs*
- *YMT-CH1400 : 14 lbs*
- *YMT-CH1600 : 16 lbs*
- *YMT-CH1800 : 18 lbs*
- *YMT-CH2000 : 20 lbs*